

BRAKE TESTING TECHNOLOGY

MBT 3000 SERIES

MBT 3200 LON VP 410127





MBT 3200 LON

VP 410127

The test-lane-compatible roller brake tester MBT 3200 LON is designed for the brake testing of cars, vans and light-duty trucks with axle loads of up to 8.0 t. Its standard test speed of 5 km/h complies with the country-specific legal requirements for testing cars and light-duty trucks. Its multi-analogue display, with two pointer gauges, enables the display of brake, side-slip and shock absorption test results.

PRODUCT DETAILS/ACCESSORIES

Description of the MBT 3200 LON:

Test lane-enabled roller brake tester with Multi-analogue display particularly for cars, vans and light lorries with an axle load of up to 8.0 t

- Thanks to 8 t axle load and 2800 mm track width, particularly suitable for vans and light lorries
- As a test speed of 5 km/h is supplied as standard, both cars and light lorries can be tested in compliance with legislation.
- Multi-analogue display with two pointer indicators (Diameter: 2 x 350 mm) and an integrated switch and electrical cabinet Display option for:
 - Brake tester
 - Wheel arch tester
 - Shock absorption tester
- Difference display (three-digit + LED bar) for evaluating:
 - Difference in braking force
 - · Difference in shock absorption
 - Deviation in wheel arch
- Program control using 32-bit microprocessor electronics enables the finest resolution for the measurement results

Dimensions of display (H x W x D) 910 x 870 x 300 mm

- Comprehensive package of functions for professional testing, such as:
 - $\circ~$ Delayed automatic switch-on after entering the tester $\,$
 - Automatic start-up monitoring supplied as standard to avoid tyre damage
 - Automatic slip cut-off with pointer stop and automatic restart already included as standard

- Automatic exiting aid supplied as standard to enable the driven axles to conveniently exit the tester
- Automatic cut-off after exiting the tester
- Single-wheel switching for differentiated consideration of each wheel
- Robust and long-lasting design due to:
 - Electronic, temperature-compensated strain gauge system for highly precise measurement results under all environmental conditions
 - · Roller surface welded
 - Optional, free plastic coating on the test rollers
 - 32-bit microprocessor electronics for process control and monitoring of all the safety functions
 - Lockable main switch
 - RS 232 interface connection
 - Splash-proof motors work reliably, even under high-stress environmental influences
 - Weighted test rollers with groove ball bearings ensure maximum precision and complete driving comfort and guarantee a long service life for the entire tester
 - Internationally recognised TÜV certificate as per issue 9/2011 of the Verkehrsblatt (German Transport Gazette)
 - Star-delta circuit to avoid high inrush currents
 - Self-supporting closed roller set
 - Varnished with high-quality powder coating: Anthracite Grey, RAL 7016

Scope of delivery:

- Analogue display with two pointer indicators and an integrated switch cabinet
- MBT 3000 roller set with preparation for weighing equipment

TECHNICAL DATA

Axle load (can be driven over)	8000 kg
Min. track	870 mm
Max. track	2800 mm
Drive power	2 x 5.5 kW
Test speed	5 km/h







MBT 3200 LON

BRAKE TESTING TECHNOLOGY

MBT 3000 SERIES

NOLOGY VP 410127



TECHNICAL DATA

Measuring range	10 kN
Roller diameter	202 mm
Roller axle distance	400 mm
gG fuse	35 A
Power supply	3/N/PE 400 V 50 Hz
Dimensions of roller set (L x W x H)	2925 x 680 x 280 mm

ACCESSORIES

ACCESSOR	RIES				
VZ 955278	Add-on Kit Brake Tester Directive Model: Directive	VZ 955045	Emergency Switch		
	2011	VZ 955014	Working hour meter		
VZ 930040	Divided Roller Set for Installation in Pit	WEATHER F	PROTECTIVE ACCESSORIES		
VZ 975546	Weighing system STAT./DYN. for roller set MBT 3000	VZ 955080	Thermostat-Controlled Heater for Electro-Cabinet		
VZ 935068	Roller Heating	ACCESSOR	IES PRESSURE EQUIPMENT AND RADIO EQUIPMENT		
VZ 935000	Roller cover for MBT 3000 series, 4 t traversable	VZ 980035	Start set radio controlled pressure converter		
VZ 930041	Automatic Pneumatic Lifting Device with light	VZ 910154	Radio remote control Model: FFB3 incl. reception module		
VP 930057	barrier for MBT 2xxx/3000 Foundation formwork galv., for MBT 2000 RS5/ C_MBT C W280	VZ 910156	Radio remote control/Radio Hand-held terminal FFB3-FHT (-EXTRA CHARGE to FFB3-)		
VZ 935110	Plastic-Coated Roller Surface (Standard Production - Welded)	VZ 980029	Pneum. Radio-Controlled Pressure Converters, Meas. Range 0 - 20 bar, MODEL: RCD 40		
CONTROLLI	NG SYSTEM AND SPECIAL VOLTAGE	VZ 985028	Hydr.Radio-Controlled Pressure Converters, Range: 0 - 160 bar MODEL: RCD 30 - 160 bar		
VZ 935132	Driving and Testing Directions manually selectable both sides or one side	VZ 955071	Flashing Light with Periodical Signal Horn for Radio Controlled Pressure Converters		
VZ 935133	Driving and Testing Directions of Single Wheel selectable via Remote Control	VZ 990090	Warning Lamp f. Radio-Control. Pressure Converters when being removed from Re-		
VZ 990355	4 wheel drive regulator set for Visco and Rigid 4		Charging Box		
V7 005114	wheel drive	ACCESSOR	IES HARD- AND SOFTWARE		
	DC Brake for MBT 2000/3000 Roller Sets	VZ 911264	Software LON Basic for external PC		
	Special voltage 3 x 230 V 50/60Hz ES ANALOG-/SIMULTAN- EOUS DISPLAYS	VZ 910140	USB/RS 232 Converter for Connection to PC/ Laptop w/o. RS 232 Interface -NET-		
VZ 955257	Foot for display cabinet for free-standing installation	VP 186050	Communication Desk EUROSYSTEM Car/Truck (w/o electronics) Model: MCD 2000		
VZ 955256	Wall holder for Multi-analog display 2 or 4, 180° swivable	VZ 955273	Printer Compartment for Communication Desk EUROSYSTEM MCD 2000		
VZ 950055	Simultaneous Display for MBT 2000/3000 LON/- EUROSYSTEM Model: MSA C CLASSIC	VZ 955274	Side Shelf for Comm. Desk EUROSYSTEM MCD 2000		
VZ 950056	Simultaneous Display for MBT 2000/3000 LON/- EUROSYSTEM MODEL: MSA C VARIODATA	VZ 955277	External PC Storage Shelf for Communication Desk EUROSYSTEM MCD 2000		
VZ 955252	Differential display for Simultanous Display MSA	VZ 910177	Industrial PC Compact with Windows 10 -NET		
VZ 955253	Display module VARIODATA		PRICE		
VZ 955254	LED-running letters (16 digits) with convenient operator guidance	VZ 955275	placement inside MCD 2000 desk		
VZ 955269	Installation Kit to attach Simultanous Display MSA to Wall (approx. 90° swivalable)	VZ 910052 VZ 910200	PC Keyboard and Mouse -NET PRICE PC Flat screen 24 VGA/DVI/HDMI, (TFT standard)		
VZ 955255	Wall holder for SimultanousDisplay MSA (approx. 180° swivalable)	VZ 910192	-NET PRICE-		
VZ 955270	Foot for Simultanous Display MSA, (approx. 180° swivalable) for free-standing installation	VZ 955244	HDMI -NET PRICE- Rotatable & Folding Wall Holder f. TFT Industrial-		
VZ 955271	Support for Simultaneous Display MSA CLASSIC, for Inst. to Communication Desk MCD		or TV Flat Screens (up to 42) HDMI Cable 5 m -NET PRICE		
VZ 950064	Display and Control Cabinet Installed Separately	VZ 910193 VZ 910179			
	ES PRINTER AND REMOTE CONTROLS		HDMI Cable 30 m -NET PRICE		
VZ 910153	Radio remote control MODEL: RECO 1 incl.	VZ 910181	HDMI Splitter, 4-port incl. 2 m cable -NET PRICE		
	reception module	VZ 910091	A4 Ink jet colour printer (incl. printer cable) -NET		
VZ 910047	Infrared Remote Control IFB3		PRICE-		
	Pedal force meter	VZ 955295			
	Pedalforce Meter MODEL: PFM 1000	VZ 955296	Docking station as charger incl. power supply unit		
ACCESSORIES SAFETY SYSTEMS FTS 2018 / C_Tablet-PC -NET-					
VZ 955088	Key Switch for Emergency Stop				

Technical Datasheet / 29/08/2022



BRAKE TESTING TECHNOLOGY

MBT 3200 LON VP 410127



MBT 3000 SERIES

VZ 955237	AP Transmitter/Receiver Unit (Indoor Access Point)
SUPPLEMEN	NTARY CHARGES
VT 998149	Shipping charges brake tester MBT 3000
VT 995655	Transportkosten PC-Recheneinheit in Verbindung mit Pult
VT 995068	Transportkosten Schaltschrank, Simultananzeige, PC-Pult pro Stück
VM 996116	Installation costs Brake TesterMBT 2200 LON, MBT 3200
VM 995148	Routine Test/Calibration acc. to Verkehrsblatt 24/2020 Truck Brake Tester

VM 996090	Assembly Costs Radio Pressure Converters (max. 10 pcs.) per unit/recharging box
VM 996088	Montagekosten Allradregelsatz bei Neuinstallation
VM 996177	Montagekosten Funk-Touchscreen FTS -bei Neuinstallation
VM 995679	Assembly Costs per Display Unit
VM 996117	Pre-installation Brake Tester MBT 2000/3000 with 10 m cable
VM 996118	Connection and Calibration Brake tester MBT 2000/3000 with 10 m cable





MAHA Maschinenbau Haldenwang GmbH & Co. KG / Hoyen 20 / 87490 Haldenwang / Germany Phone: +49 8374 585 0 / Fax: +49 8374 585 0 / sales@maha.de / www.maha.de